


हेमवती नन्दन बहुगुणा गढ़वाल विश्वविद्यालय, श्रीनगर गढ़वाल।
(केन्द्रीय विश्वविद्यालय)

निविदा आमन्त्रण सूचना

(सीमित निविदा जाँच, जी0एफ0आर0 2017 प्राविधान-139 V के अन्तर्गत)

हेमवती नन्दन बहुगुणा गढ़वाल विश्वविद्यालय के पंजीकृत ठेकेदारों/फर्मों से "चौरास परिसर में विश्वविद्यालय परिसर बस स्टैंड के निर्माण का कार्य" का DSR 2023 के आधार पर सीलबन्द प्रतिशत निविदा आमन्त्रित की जाती है। अभियंत्रण सेवा अनुभाग, श्रीनगर में निविदा जमा करने की अन्तिम तिथि 12-05-2025 को अपराह्न 3.00 बजे तक है।

विस्तृत जानकारी हेतु कृपया अधिशासी अभियन्ता कार्यालय, हे0न0ब0 गढ़वाल विश्वविद्यालय श्रीनगर से सम्पर्क किया जा सकता है।


(वी0एन0 बहुगुणा)
अधिशासी अभियन्ता

NOTICE INVITING TENDER

Last Date of Issue of tender :- } As per sheet attached
 Date of Opening of tender :- }

This notice may also be seen at websites www.hnbggu.ac.in

HNB Garhwal University Srinagar, Garhwal

NOTICE INVITING TENDER

1. Sealed percentage rate tenders on DSR 2023 are invited from registered contractor of HNB Garhwal University, for Construction of university campus Bus stand in chauras campus. Last date for submission of tender is 12-05-2025 at 03.00 P.M. Engineering Service Department Srinagar.

NIT No.	S. NO.	Name of work	Estimated cost	Earnest Money	Time allowed	Date of Posting on Notice Board	Last date of issue of tenders & time	Time & date of opening of Tenders	Tender
HNBGU/ E.S/2025/01	1.	Construction of university campus Bus stand in chauras campus	₹ 9,96,478/-	Exempted	60 days	02-05-2025	09-05-2025 Up to 3.00 P.M.	12-05-2025 At 3.30 P.M.	

The application shall be submitted to the office of Executive Engineer, Engineering Service Department, Srinagar.

The work is estimated to cost as per detail above. This estimate, however, is given merely as a rough guide.

Criteria of eligibility for issue of tender document

1. Tender shall be issued to registered contractor of HNBGU.
2. The time allowed for carrying out the work will be 60 days from the date of order. However work will be carried out in part as per the requirement of the University.
3. The site for the work is available and ready for commencement of the task.
4. Tender document consisting of plan and specifications of work to be done and the set of terms & conditions of contract to be complied with by the contractor whose tender may be accepted and other necessary documents can be seen in the office of the EE, HNBGU Srinagar (Garhwal) between hours of 11:00 A.M. & 04:00 P.M. everyday excepts on Saturday, Sunday and Public Holidays. Tender documents will be issued from his office, during the hours specified above.

5. The sealed tender envelope with the name of work and due date of opening written on envelope, shall be received by the office of EE, HNBGU, Srinagar (Garhwal) Engineering Service Department, Srinagar as per time and date mentioned in page no. 01. The financial bid duly signed by the contractor on the Performa for this purpose as per annexure-1 to be submitted by the contractor in sealed envelope to the office of EE Civil

6. The contractor whose tender is accepted will be required to furnish performance guarantee of 5% (Five percentages) of the tendered amount within the period specified in letter. This guarantee shall be in the form of Deposit at call receipt of any scheduled Bank/Banker's cheque of any scheduled Bank/Demand Draft of any scheduled bank/pay order of any scheduled Bank on prescribed format by University.

In case the contractor fails to deposit the said performance guarantee within the period in letter including the extended period if any, the Money deposited by the registered contractors at the time of registration shall be forfeited automatically without any notice to the contractor.

7. The description of the following works " **Construction of university campus Bus stand in chauras campus.**" copies of other drawings and documents pertaining to the works will be open for inspection by the tenderer at the office of E. Engineer, HNBGU, Srinagar.

Tenderers are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity, access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents submission of a tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specification of the work to be done.

8. The University through Registrar does not bind itself to accept the lowest or any other tender and reserves to itself the authority to reject any or all of the tenders received without the assignment of any reason. All tenders in which any of the prescribed conditions is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer shall be summarily rejected.

9. Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.

10. The University through Registrar reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.

11. This Notice Inviting Tender shall form a part of the contract.

Additional Conditions

1. Scope:

- 1.1 The work of "Construction of university campus Bus stand in chauras campus." is to be done strictly as per the nomenclature of the item/size as per drawing or as per the direction of Engineer-in-charge.

2. Specification for work, quality and workmanship

- 2.2 All the materials of the work shall confirm to approve makes of high-quality material specified. The proof of procurement of various materials shall be provided either from the manufactures or through authorized dealers for first quality of material, if required by university.
- 2.3 Any damages caused during transit shall be borne by the contractor and nothing shall be paid on this account by university. The damage material shall not be used on the work.
- 2.4 The quoted rates shall include all taxes i.e. GST and Labour cess etc. The rates shall also include carriage, loading, unloading etc. at site as per the direction of Engineer-in-Charge to the satisfaction of concerned stakeholder/ HOD.
- 2.5 During the execution of work the contractor shall make necessary arrangements for safe custody of the material on the direction of the Engineer-in-charge till the satisfactory completion of the work.
3. The contractor shall make his own arrangement for obtaining electric connection if required, and make necessary payments directly to the department concerned.
4. The contractor shall fully comply with all legal orders and directions of the Public or local authorities or municipality and abide by their rules and regulations and pay all fees and charges for which he may be liable in this regard. Nothing extra shall be paid/reimbursed for the same. The contractor shall fully responsible for safety measures during work and to comply the directions as per labour act.
5. The deduction for GST, Income Tax and Labour cess shall be made at source as per rules.
6. Satisfactory completion certificate shall have to be obtained from the concerned stack holder/ HOD as per the direction of Engineer-in-Charge. The final payment shall be released only after the satisfactory completion of the task.

7. Penalty against delay:

- 7.1 Entire work will be completed and handed over within stipulated period as mentioned in work order/ letter of intent. The University shall levy liquidated damages against the contractor at the rate of 1% of the total contract value per day week of delay, up to a maximum of 10 % of the total value of the work as penalty against delay.

A.E. Civil

**Performa for Financial bids
Schedule of Quantities**

Name of the Work: - Construction of university campus Bus stand in chauras campus.

S. N.	Item Details	Qt.	Unit	DSR 2023 unit rate	Amount/ Rate (in ₹)	C.P.W.D 2023 ITEM NO
1	Surface dressing of the ground including removing vegetation and in-equalities not exceeding 15 cm deep and disposal of rubbish, lead up to 50 m and lift up to 1.5 m.	49.50	sqm	34.15	1690.425	2.28.1
2	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.	14.850	cum	177.50	2635.875	2.6.1
3	Excavating, supplying and filling of local earth (including royalty) by mechanical transport upto a lead of 5km also including ramming and watering of the earth in layers not exceeding 20 cm in trenches, plinth, sides of foundation etc. complete	27.00	cum	700.50	18913.500	2.25(a)
4	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :-4.1.8 1:4:8 (1 Cement : 4 coarse sand (zone-III) : 8 graded stone aggregate 40 mm nominal size) cum	1.620	cum	6812.00	11035.440	4.1.8
5	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources	4.500	cum	7878.50	35453.250	4.1.3
6	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level :1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	1.44	cum	9045.75	13025.880	5.1.2
7	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level Mild steel and Medium Tensile steel bar	113.040	kg	107.85	12191.364	5.22.6
8	7.1 Random rubble masonry with hard stone in foundation and plinth including levelling up with cement concrete 1:6:12 (1 cement : 6 coarse sand : 12 graded stone aggregate 20 mm nominal size) upto plinth level with :7.1.1 Cement mortar 1:6 (1 cement : 6 coarse sand) cum	10.020	cum	7311.25	73258.725	7.1.1
9	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:6 (1 cement : 6 coarse sand)	6.325	cum	9105.95	57595.134	6.4.2

10	12 mm cement plaster repairing of mix : 1:4(1 cement: 4 coarse sand)	50.00	sqm	343.65	17182.500	13.4.2
11	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) :25 mm thick	65.400	sqm	1706.60	111611.640	11.26.1
12	40 mm thick marble chips flooring, rubbed and polished to granolithic finish, under layer 28 mm thick cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 12.5 mm nominal size) and top layer 12 mm thick with white, black, chocolate, grey yellow or green marble chips of sizes from 7 mm to 10 mm nominal size, laid in cement marble powder mix 3:1 (3 cement : 1 marble powder) by weight in proportion of 2:3 (2 cement marble powder mix : 3 marble chips) by volume, including cement slurry etc. complete : Light shade pigment with white cement	21.000	sqm	1164.25	24449.250	11.11.2
13	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. Hot finished welded type tubes	1404.00	kg	194.40	272937.600	10.16.1
14	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	432.00	kg	172.60	74563.200	10.25.2
15	Providing and fixing pre-coated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-Charge) of total coated thickness 0.50 mm (base metal of minimum 0.45 mm thickness with total coating thickness of 0.05 mm) with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	73.60	sqm	738.50	54353.600	12.50
16	Providing and fixing pre-coated galvanised steel sheet roofing accessories of total coated thickness 0.50 mm (base metal of minimum 0.45 mm thickness with total coating thickness of 0.05 mm) with Zinc coating 120 gram per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete : 12.51.1 Ridges plain (500 - 600mm)	18.00	meter	532.65	9587.700	12.51.1
17	Providing and fixing pre-coated galvanised steel sheet roofing accessories of total coated thickness 0.50 mm (base metal of minimum 0.45 mm thickness with total coating thickness of 0.05 mm) with Zinc coating 120 gram per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete Gutter (600 mm over all girth)	10.00	meter	1313.70	13137.000	12.51.6


18	Providing and fixing Pre-laminated medium density fibre board IS: 14587:1998 marked, with one side decorative lamination other side balancing lamination Grade-I (exterior grade) in shelves with screws and fittings wherever required, edges to be sealed with PVC edge bending tape 2.00 mm thick of approved brand (fittings to be paid separately). Pre-laminated with decorative lamination one side and other side balancing lamination exterior Grade - I Analysis for Action Tesa HDHMR Board 18 mm two side laminated wooden shade	28.56	sqm	2752.00	78597.120	9.157.1 (analysis of rate)
19	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 110 mm diameter	8.00	mtr	377.40	3019.20	12.41.2
20	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade :Two or more coats on new work	150.00	sqm	226.25	33937.50	13.62.1
21	Sub total				919175.903	
22	Add cost index @ 8.41%				77302.69	
23	G.Total				9,96,478.60	
24				Say.	9,96,478.00	
25	Percentage rate (below or above to mentioned cost) (- / +)-----%			Rs.		
26	G. Total on offered rates			Rs.		

Signature

Name of the Registered Contractor of the university –

Note:

1. The work shall be completed as per the direction of the engineer in charge.
2. The comparison of the lowest cost of the work shall be made on the basis of overall lowest cost of above task.
3. The above mention quantities are based on approximate estimation. The payment shall be made as per the actual work done.
4. Other items, if carried out by the direction of engineer in charge will be paid accordingly on accepted percentage rates of DSR.


A.E civil


Engineer